



**Minnesota Pollution
Control Agency**

520 Lafayette Road North
St. Paul, MN 55155-4194

MS4 SWPPP Application for Reauthorization

**for the NPDES/SDS General Small Municipal Separate
Storm Sewer System (MS4) Permit MNR040000
reissued with an effective date of August 1, 2013
Stormwater Pollution Prevention Program (SWPPP) Document**

Doc Type: Permit Application

Instructions: This application is for authorization to discharge stormwater associated with Municipal Separate Storm Sewer Systems (MS4s) under the National Pollutant Discharge Elimination System/State Disposal System (NPDES/SDS) Permit Program. **No fee** is required with the submittal of this application. Please refer to "Example" for detailed instructions found on the Minnesota Pollution Control Agency (MPCA) MS4 website at <http://www.pca.state.mn.us/ms4>.

Submittal: This MS4 SWPPP Application for Reauthorization form must be submitted electronically via e-mail to the MPCA at ms4permitprogram.pca@state.mn.us from the person that is duly authorized to certify this form. All questions with an asterisk (*) are required fields. All applications will be returned if required fields are not completed.

Questions: Contact Claudia Hochstein at 651-757-2881 or claudia.hochstein@state.mn.us, Dan Miller at 651-757-2246 or daniel.miller@state.mn.us, or call toll-free at 800-657-3864.

General Contact Information (*Required fields)

MS4 Owner (with ownership or operational responsibility, or control of the MS4)

*MS4 permittee name: City of Brainerd *County: Crow Wing
(city, county, municipality, government agency or other entity)

*Mailing address: 501 Laurel St

*City: Brainerd *State: MN *Zip code: 56401

*Phone (including area code): 218-828-2309 *E-mail: jfreihammer@ci.brainerd.mn.us

MS4 General contact (with Stormwater Pollution Prevention Program [SWPPP] implementation responsibility)

*Last name: Hulsether *First name: Jeff
(department head, MS4 coordinator, consultant, etc.)

*Title: City Engineer

*Mailing address: 501 Laurel St

*City: Brainerd *State: MN *Zip code: 56401

*Phone (including area code): 218-828-2309 *E-mail: jhulsether@ci.brainerd.mn.us

Preparer information (complete if SWPPP application is prepared by a party other than MS4 General contact)

Last name: Freihammer First name: Jesse
(department head, MS4 coordinator, consultant, etc.)

Title: Assistant City Engineer

Mailing address: 501 Laurel St

City: Brainerd State: MN Zip code: 56401

Phone (including area code): 218-828-2309 E-mail: jfreihammer@ci.brainerd.mn.us

Verification

1. I seek to continue discharging stormwater associated with a small MS4 after the effective date of this Permit, and shall submit this MS4 SWPPP Application for Reauthorization form, in accordance with the schedule in Appendix A, Table 1, with the SWPPP document completed in accordance with the Permit (Part II.D.). ☒ Yes
2. I have read and understand the NPDES/SDS MS4 General Permit and certify that we intend to comply with all requirements of the Permit. ☒ Yes

Certification (All fields are required)

- ☒ Yes - I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted.

I certify that based on my inquiry of the person, or persons, who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete.

I am aware that there are significant penalties for submitting false information, including the possibility of civil and criminal penalties.

This certification is required by Minn. Stat. §§ 7001.0070 and 7001.0540. The authorized person with overall, MS4 legal responsibility must certify the application (principal executive officer or a ranking elected official).

By typing my name in the following box, I certify the above statements to be true and correct, to the best of my knowledge, and that this information can be used for the purpose of processing my application.

Name: Jeff Hulsether
(This document has been electronically signed)

Title: City Engineer Date (mm/dd/yyyy): 12/19/13

Mailing address: 501 Laurel St

City: Brainerd State: MN Zip code: 56401

Phone (including area code): 218-828-2309 E-mail: jhulsether@ci.brainerd.mn.us

Note: The application will not be
processed without certification.

Stormwater Pollution Prevention Program Document

I. Partnerships: (Part II.D.1)

- A. List the **regulated small MS4(s)** with which you have established a partnership in order to satisfy one or more requirements of this Permit. Indicate which Minimum Control Measure (MCM) requirements or other program components that each partnership helps to accomplish (List all that apply). Check the box below if you currently have no established partnerships with other regulated MS4s. If you have more than five partnerships, hit the tab key after the last line to generate a new row.

☒ No partnerships with regulated small MS4s

Name and description of partnership	MCM/Other permit requirements involved

- B. If you have additional information that you would like to communicate about your partnerships with other regulated small MS4(s), provide it in the space below, or include an attachment to the SWPPP Document, with the following file naming convention: *MS4NameHere_Partnerships*.

We have no partnerships with regulated MS4's. we have partnered on numerous projects with the Crow Wing County Soil and Water Conservation District.

II. Description of Regulatory Mechanisms: (Part II.D.2)

Illicit discharges

- A. Do you have a regulatory mechanism(s) that effectively prohibits non-stormwater discharges into your small MS4, except those non-stormwater discharges authorized under the Permit (Part III.D.3.b.)? ☒ Yes ☐ No

1. If **yes**:

- a. Check which *type* of regulatory mechanism(s) your organization has (check all that apply):

☒ Ordinance ☐ Contract language
☐ Policy/Standards ☐ Permits
☐ Rules
☐ Other, explain: _____

- b. Provide either a direct link to the mechanism selected above or attach it as an electronic document to this form; or if your regulatory mechanism is either an Ordinance or a Rule, you may provide a citation:

Citation:

Direct link:

<http://www.ci.brainerd.mn.us/engineering/stormwater/docs/ord1316.pdf>

☐ Check here if attaching an electronic copy of your regulatory mechanism, with the following file naming convention: *MS4NameHere_IDDEreg*.

2. If **no**:

Describe the tasks and corresponding schedules that will be taken to assure that, within 12 months of the date permit coverage is extended, this permit requirement is met:

Construction site stormwater runoff control

- A. Do you have a regulatory mechanism(s) that establishes requirements for erosion and sediment controls and waste controls? ☒ Yes ☐ No

1. If **yes**:

- a. Check which *type* of regulatory mechanism(s) your organization has (check all that apply):

- ☒ Ordinance ☐ Contract language
☐ Policy/Standards ☒ Permits
☐ Rules
☐ Other, explain: _____

- b. Provide either a direct link to the mechanism selected above or attach it as an electronic document to this form; or if your regulatory mechanism is either an Ordinance or a Rule, you may provide a citation:

Citation:

Direct link:

<http://www.ci.brainerd.mn.us/engineering/stormwater/docs/ord1314.pdf>

- ☐ Check here if attaching an electronic copy of your regulatory mechanism, with the following file naming convention: *MS4NameHere_CSWreg*.

- B. Is your regulatory mechanism at least as stringent as the MPCA general permit to Discharge Stormwater Associated with Construction Activity (as of the effective date of the MS4 Permit)? ☐ Yes ☒ No

If you answered **yes** to the above question, proceed to C.

If you answered **no** to either of the above permit requirements listed in A. or B., describe the tasks and corresponding schedules that will be taken to assure that, within 12 months of the date permit coverage is extended, these permit requirements are met:

City will update its Erosion and Sediment Control ordinance language within 12 months

- C. Answer **yes** or **no** to indicate whether your regulatory mechanism(s) requires owners and operators of construction activity to develop site plans that incorporate the following erosion and sediment controls and waste controls as described in the Permit (Part III.D.4.a.(1)-(8)), and as listed below:

- | | |
|--|---|
| 1. Best Management Practices (BMPs) to minimize erosion. | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| 2. BMPs to minimize the discharge of sediment and other pollutants. | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| 3. BMPs for dewatering activities. | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| 4. Site inspections and records of rainfall events | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| 5. BMP maintenance | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| 6. Management of solid and hazardous wastes on each project site. | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| 7. Final stabilization upon the completion of construction activity, including the use of perennial vegetative cover on all exposed soils or other equivalent means. | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| 8. Criteria for the use of temporary sediment basins. | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |

If you answered **no** to any of the above permit requirements, describe the tasks and corresponding schedules that will be taken to assure that, within 12 months of the date permit coverage is extended, these permit requirements are met:

The City will update its erosion and sediment control ordinance as wells as its storm water ordinance language within 12 months

Post-construction stormwater management

- A. Do you have a regulatory mechanism(s) to address post-construction stormwater management activities? ☒ Yes ☐ No

1. If **yes**:

- a. Check which *type* of regulatory mechanism(s) your organization has (check all that apply):

- ☒ Ordinance ☐ Contract language
☐ Policy/Standards ☒ Permits
☐ Rules
☐ Other, explain: _____

- b. Provide either a direct link to the mechanism selected above or attach it as an electronic document to this form; or if your regulatory mechanism is either an Ordinance or a Rule, you may provide a citation:

Citation:

Direct link:

<http://www.ci.brainerd.mn.us/engineering/stormwater/docs/ord1317.pdf>

☐ Check here if attaching an electronic copy of your regulatory mechanism, with the following file naming convention: *MS4NameHere_PostCSWreg*.

- B. Answer **yes** or **no** below to indicate whether you have a regulatory mechanism(s) in place that meets the following requirements as described in the Permit (Part III.D.5.a.):

1. **Site plan review:** Requirements that owners and/or operators of construction activity submit site plans with post-construction stormwater management BMPs to the permittee for review and approval, prior to start of construction activity. ☒ Yes ☐ No
2. **Conditions for post construction stormwater management:** Requires the use of any combination of BMPs, with highest preference given to Green Infrastructure techniques and practices (e.g., infiltration, evapotranspiration, reuse/harvesting, conservation design, urban forestry, green roofs, etc.), necessary to meet the following conditions on the site of a construction activity to the Maximum Extent Practicable (MEP):
 - a. For new development projects – no net increase from pre-project conditions (on an annual average basis) of: ☐ Yes ☒ No
 - 1) Stormwater discharge volume, unless precluded by the stormwater management limitations in the Permit (Part III.D.5.a(3)(a)).
 - 2) Stormwater discharges of Total Suspended Solids (TSS).
 - 3) Stormwater discharges of Total Phosphorus (TP).
 - b. For redevelopment projects – a net reduction from pre-project conditions (on an annual average basis) of: ☐ Yes ☒ No
 - 1) Stormwater discharge volume, unless precluded by the stormwater management limitations in the Permit (Part III.D.5.a(3)(a)).
 - 2) Stormwater discharges of TSS.
 - 3) Stormwater discharges of TP.
3. **Stormwater management limitations and exceptions:**
 - a. Limitations ☒ Yes ☐ No
 - 1) Prohibit the use of infiltration techniques to achieve the conditions for post-construction stormwater management in the Permit (Part III.D.5.a(2)) when the infiltration structural stormwater BMP will receive discharges from, or be constructed in areas:
 - a) Where industrial facilities are not authorized to infiltrate industrial stormwater under an NPDES/SDS Industrial Stormwater Permit issued by the MPCA.
 - b) Where vehicle fueling and maintenance occur.
 - c) With less than three (3) feet of separation distance from the bottom of the infiltration system to the elevation of the seasonally saturated soils or the top of bedrock.
 - d) Where high levels of contaminants in soil or groundwater will be mobilized by the infiltrating stormwater.
 - 2) Restrict the use of infiltration techniques to achieve the conditions for post-construction stormwater management in the Permit (Part III.D.5.a(2)), without higher engineering review, sufficient to provide a functioning treatment system and prevent adverse impacts to groundwater, when the infiltration device will be constructed in areas:
 - a) With predominately Hydrologic Soil Group D (clay) soils.
 - b) Within 1,000 feet up-gradient, or 100 feet down-gradient of active karst features.
 - c) Within a Drinking Water Supply Management Area (DWSMA) as defined in Minn. R. 4720.5100, subp. 13.
 - d) Where soil infiltration rates are more than 8.3 inches per hour.
 - 3) For linear projects where the lack of right-of-way precludes the installation of volume control practices that meet the conditions for post-construction stormwater management in the Permit (Part III.D.5.a(2)), the permittee's regulatory mechanism(s) may allow exceptions as described in the Permit (Part III.D.5.a(3)(b)). The permittee's regulatory mechanism(s) shall ensure that a reasonable attempt be made to obtain right-of-way during the project planning process. ☒ Yes ☐ No

4. **Mitigation provisions:** The permittee's regulatory mechanism(s) shall ensure that any stormwater discharges of TSS and/or TP not addressed on the site of the original construction activity are addressed through mitigation and, at a minimum, shall ensure the following requirements are met:
- a. Mitigation project areas are selected in the following order of preference: ☐ Yes ☒ No
 - 1) Locations that yield benefits to the same receiving water that receives runoff from the original construction activity.
 - 2) Locations within the same Minnesota Department of Natural Resource (DNR) catchment area as the original construction activity.
 - 3) Locations in the next adjacent DNR catchment area up-stream
 - 4) Locations anywhere within the permittee's jurisdiction.
 - b. Mitigation projects must involve the creation of new structural stormwater BMPs or the retrofit of existing structural stormwater BMPs, or the use of a properly designed regional structural stormwater BMP. ☐ Yes ☒ No
 - c. Routine maintenance of structural stormwater BMPs already required by this permit cannot be used to meet mitigation requirements of this part. ☐ Yes ☒ No
 - d. Mitigation projects shall be completed within 24 months after the start of the original construction activity. ☐ Yes ☒ No
 - e. The permittee shall determine, and document, who will be responsible for long-term maintenance on all mitigation projects of this part. ☐ Yes ☒ No
 - f. If the permittee receives payment from the owner and/or operator of a construction activity for mitigation purposes in lieu of the owner or operator of that construction activity meeting the conditions for post-construction stormwater management in Part III.D.5.a(2), the permittee shall apply any such payment received to a public stormwater project, and all projects must be in compliance with Part III.D.5.a(4)(a)-(e). ☐ Yes ☒ No
5. **Long-term maintenance of structural stormwater BMPs:** The permittee's regulatory mechanism(s) shall provide for the establishment of legal mechanisms between the permittee and owners or operators responsible for the long-term maintenance of structural stormwater BMPs not owned or operated by the permittee, that have been implemented to meet the conditions for post-construction stormwater management in the Permit (Part III.D.5.a(2)). This only includes structural stormwater BMPs constructed after the effective date of this permit and that are directly connected to the permittee's MS4, and that are in the permittee's jurisdiction. The legal mechanism shall include provisions that, at a minimum:
- a. Allow the permittee to conduct inspections of structural stormwater BMPs not owned or operated by the permittee, perform necessary maintenance, and assess costs for those structural stormwater BMPs when the permittee determines that the owner and/or operator of that structural stormwater BMP has not conducted maintenance. ☒ Yes ☐ No
 - b. Include conditions that are designed to preserve the permittee's right to ensure maintenance responsibility, for structural stormwater BMPs not owned or operated by the permittee, when those responsibilities are legally transferred to another party. ☒ Yes ☐ No
 - c. Include conditions that are designed to protect/preserve structural stormwater BMPs and site features that are implemented to comply with the Permit (Part III.D.5.a(2)). If site configurations or structural stormwater BMPs change, causing decreased structural stormwater BMP effectiveness, new or improved structural stormwater BMPs must be implemented to ensure the conditions for post-construction stormwater management in the Permit (Part III.D.5.a(2)) continue to be met. ☒ Yes ☐ No

If you answered **no** to any of the above permit requirements, describe the tasks and corresponding schedules that will be taken to assure that, within twelve (12) months of the date permit coverage is extended, these permit requirements are met:

The City will re-work its storm water management ordinance to address deficiencies in the ordinance. The new ordinance will make sure the mitigation provisions of the MS4 permit are met.

III. Enforcement Response Procedures (ERPs): (Part II.D.3)

- A. Do you have existing ERPs that satisfy the requirements of the Permit (Part III.B.)? ☐ Yes ☒ No
- 1. If **yes**, attach them to this form as an electronic document, with the following file naming convention: *MS4NameHere_ERPs*.
 - 2. If **no**, describe the tasks and corresponding schedules that will be taken to assure that, with twelve (12) months of the date permit coverage is extended, these permit requirements are met:

Within 12 months we will adopt enforcement response procedures similiar to what other cities our size have done or will do to meet permit requirements.

B. Describe your ERPs:

City currently does not have any

IV. Storm Sewer System Map and Inventory: (Part II.D.4.)

A. Describe how you manage your storm sewer system map and inventory:

Currently the entire City storm sewer system is mapped on GIS. The City also has spreadsheets of ponds and outfall to perform inspection off of.

B. Answer **yes** or **no** to indicate whether your storm sewer system map addresses the following requirements from the Permit (Part III.C.1.a-d), as listed below:

1. The permittee's entire small MS4 as a goal, but at a minimum, all pipes 12 inches or greater in diameter, including stormwater flow direction in those pipes. ☒ Yes ☐ No
2. Outfalls, including a unique identification (ID) number assigned by the permittee, and an associated geographic coordinate. ☒ Yes ☐ No
3. Structural stormwater BMPs that are part of the permittee's small MS4. ☒ Yes ☐ No
4. All receiving waters. ☒ Yes ☐ No

If you answered **no** to any of the above permit requirements, describe the tasks and corresponding schedules that will be taken to assure that, within 12 months of the date permit coverage is extended, these permit requirements are met:

C. Answer **yes** or **no** to indicate whether you have completed the requirements of 2009 Minnesota Session Law, Ch. 172. Sec. 28: with the following inventories, according to the specifications of the Permit (Part III.C.2.a.-b.), including:

1. All ponds within the permittee's jurisdiction that are constructed and operated for purposes of water quality treatment, stormwater detention, and flood control, and that are used for the collection of stormwater via constructed conveyances. ☒ Yes ☐ No
2. All wetlands and lakes, within the permittee's jurisdiction, that collect stormwater via constructed conveyances. ☒ Yes ☐ No

D. Answer **yes** or **no** to indicate whether you have completed the following information for each feature inventoried.

1. A unique identification (ID) number assigned by the permittee. ☒ Yes ☐ No
2. A geographic coordinate. ☒ Yes ☐ No
3. Type of feature (e.g., pond, wetland, or lake). This may be determined by using best professional judgment. ☒ Yes ☐ No

If you have answered **yes** to all above requirements, and you have already submitted the Pond Inventory Form to the MPCA, then you do not need to resubmit the inventory form below.

If you answered **no** to any of the above permit requirements, describe the tasks and corresponding schedules that will be taken to assure that, within 12 months of the date permit coverage is extended, these permit requirements are met:

E. Answer **yes** or **no** to indicate if you are attaching your pond, wetland and lake inventory to the MPCA on the form provided on the MPCA website at: <http://www.pca.state.mn.us/ms4>, according to the specifications of Permit (Part III.C.2.b.(1)-(3)). Attach with the following file naming convention: *MS4NameHere_inventory*. ☐ Yes ☒ No

If you answered **no**, the inventory form must be submitted to the MPCA MS4 Permit Program within 12 months of the date permit coverage is extended.

V. Minimum Control Measures (MCMs) (Part II.D.5)

A. MCM1: Public education and outreach

1. The Permit requires that, within 12 months of the date permit coverage is extended, existing permittees revise their education and outreach program that focuses on illicit discharge recognition and reporting, as well as other specifically selected stormwater-related issue(s) of high priority to the permittee during this permit term. Describe your **current** educational program, including **any high-priority topics included**:

The City has a page on its website devoted to storm water education. The City has developed three brochures to handout

at City hall in regards to storm water education. For all building permits where dirt is moved, a packet is handed out on erosion and sediment control BMP's. The City also included storm water information in a monthly newsletter.

- List the categories of BMPs that address your public education and outreach program, including the distribution of educational materials and a program implementation plan. Use the first table for categories of BMPs that you have established and the second table for categories of BMPs that you plan to implement over the course of the permit term.

Include the measurable goals with appropriate timeframes that each BMP category will be implemented and completed. In addition, provide interim milestones and the frequency of action in which the permittee will implement and/or maintain the BMPs. Refer to the U.S. Environmental Protection Agency's (EPA) *Measurable Goals Guidance for Phase II Small MS4s* (<http://www.epa.gov/npdes/pubs/measurablegoals.pdf>).

If you have more than five categories, hit the tab key after the last line to generate a new row.

Established BMP categories	Measurable goals and timeframes
Newsletter Articles	# of letters sent out annually
City Website	# of hits annually
Storm Water Brochures/Handouts	# of brochures distributed annually
30 Day Public Hearing Notice	# of comments received annually
Pet Waste Signage in Parks	# of signs annually
Coordination with Local Agencies	# of projects coordinated annually
BMP categories to be implemented	Measurable goals and timeframes

- Provide the name or the position title of the individual(s) who is responsible for implementing and/or coordinating this MCM:

Jesse Freihammer, Assistant City Engineer

B. MCM2: Public participation and involvement

- The Permit (Part III.D.2.a.) requires that, within 12 months of the date permit coverage is extended, existing permittees shall revise their current program, as necessary, and continue to implement a public participation/involvement program to solicit public input on the SWPPP. Describe your current program:

Currently the City holds an annual MS4 permit meeting for public input in March.

- List the categories of BMPs that address your public participation/involvement program, including solicitation and documentation of public input on the SWPPP. Use the first table for categories of BMPs that you have established and the second table for categories of BMPs that you plan to implement over the course of the permit term.

Include the measurable goals with appropriate timeframes that each BMP category will be implemented and completed. In addition, provide interim milestones and the frequency of action in which the permittee will implement and/or maintain the BMPs. Refer to the EPA's *Measurable Goals Guidance for Phase II Small MS4s* (<http://www.epa.gov/npdes/pubs/measurablegoals.pdf>).

If you have more than five categories, hit the tab key after the last line to generate a new row.

Established BMP categories	Measurable goals and timeframes
Annual Spring Cleanup	Amount of Debris collected annually
Planning and Zoning Commission	Number of Plans Reviewed annually
Annual Storm Water Public Meeting	# of attendees annually
Public Comment/Complaint Procedures	# of complaints/comments received annually
BMP categories to be implemented	Measurable goals and timeframes

3. Do you have a process for receiving and documenting citizen input? ☒ Yes ☐ No

If you answered **no** to the above permit requirement, describe the tasks and corresponding schedules that will be taken to assure that, within 12 months of the date permit coverage is extended, this permit requirement is met:

4. Provide the name or the position title of the individual(s) who is responsible for implementing and/or coordinating this MCM:

Jesse Freihammer, Assistant City Engineer

C. MCM 3: Illicit discharge detection and elimination

1. The Permit (Part III.D.3.) requires that, within 12 months of the date permit coverage is extended, existing permittees revise their current program as necessary, and continue to implement and enforce a program to detect and eliminate illicit discharges into the small MS4. Describe your current program:

The City has a storm water map that they keep up to date. Currently the City inspects for illicit discharge when they do outfall inspections and when they receive complaints about an illicit discharge. The City has ordinances in place to prohibit illicit discharges and to enforce them

2. Does your Illicit Discharge Detection and Elimination Program meet the following requirements, as found in the Permit (Part III.D.3.c.-g.)?

- | | |
|---|---|
| a. Incorporation of illicit discharge detection into all inspection and maintenance activities conducted under the Permit (Part III.D.6.e.-f.) Where feasible, illicit discharge inspections shall be conducted during dry-weather conditions (e.g., periods of 72 or more hours of no precipitation). | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |
| b. Detecting and tracking the source of illicit discharges using visual inspections. The permittee may also include use of mobile cameras, collecting and analyzing water samples, and/or other detailed procedures that may be effective investigative tools. | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |
| c. Training of all field staff, in accordance with the requirements of the Permit (Part III.D.6.g.(2)), in illicit discharge recognition (including conditions which could cause illicit discharges), and reporting illicit discharges for further investigation. | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| d. Identification of priority areas likely to have illicit discharges, including at a minimum, evaluating land use associated with business/industrial activities, areas where illicit discharges have been identified in the past, and areas with storage of large quantities of significant materials that could result in an illicit discharge. | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| e. Procedures for the timely response to known, suspected, and reported illicit discharges. | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| f. Procedures for investigating, locating, and eliminating the source of illicit discharges. | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| g. Procedures for responding to spills, including emergency response procedures to prevent spills from entering the small MS4. The procedures shall also include the immediate notification of the Minnesota Department of Public Safety Duty Officer, if the source of the illicit discharge is a spill or leak as defined in Minn. Stat. § 115.061. | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| h. When the source of the illicit discharge is found, the permittee shall use the ERPs required by the Permit (Part III.B.) to eliminate the illicit discharge and require any needed corrective action(s). | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |

If you answered **no** to any of the above permit requirements, describe the tasks and corresponding schedules that will be taken to assure that, within 12 months of the date permit coverage is extended, these permit requirements are met:

The City will look into and implement a training schedule for all employees who deal with any aspect of the MS4 permit. The City will also develop a priority list of areas that could have illicit discharges. The City will develop written procedures relating to illicit discharge response, investigation, emergency response to spills, and cleanup of illicit discharges.

3. List the categories of BMPs that address your illicit discharge, detection and elimination program. Use the first table for categories of BMPs that you have established and the second table for categories of BMPs that you plan to implement over the course of the permit term.

Include the measurable goals with appropriate timeframes that each BMP category will be implemented and completed. In addition, provide interim milestones and the frequency of action in which the permittee will implement and/or maintain the BMPs. Refer to the EPA's *Measurable Goals Guidance for Phase II Small MS4s*

(<http://www.epa.gov/npdes/pubs/measurablegoals.pdf>).

If you have more than five categories, hit the tab key after the last line to generate a new row.

Established BMP categories	Measurable goals and timeframes
Storm Water Map	y/n

Illegal Dumping Regulation	Completed
Septic System Maintenance Program	# of systems removed annually
Sanitary Sewer Maintenance Program	LF of sewer cleaned annually
Pet Waste Control Ordinance	# of enforcement actions annually
Phosphorus Turf Fertilizer Use Ordinance	# of enforcement actions annually
Illicit Discharge and Illicit Connection Ordinance	# of illicit discharges eliminated annually
Illicit Discharge Inspection Program	# of outfall/ponds inspected annually
BMP categories to be implemented	Measurable goals and timeframes

4. Do you have procedures for record-keeping within your Illicit Discharge Detection and Elimination (IDDE) program as specified within the Permit (Part III.D.3.h.)? ☒ Yes ☐ No

If you answered **no**, indicate how you will develop procedures for record-keeping of your Illicit Discharge, Detection and Elimination Program, within 12 months of the date permit coverage is extended:

5. Provide the name or the position title of the individual(s) who is responsible for implementing and/or coordinating this MCM:

Jesse Freihammer, Assistant City Engineer

D. MCM 4: Construction site stormwater runoff control

1. The Permit (Part III.D.4) requires that, within 12 months of the date permit coverage is extended, existing permittees shall revise their current program, as necessary, and continue to implement and enforce a construction site stormwater runoff control program. Describe your current program:

2. Does your program address the following BMPs for construction stormwater erosion and sediment control as required in the Permit (Part III.D.4.b.):

- Have you established written procedures for site plan reviews that you conduct prior to the start of construction activity? ☐ Yes ☒ No
- Does the site plan review procedure include notification to owners and operators proposing construction activity that they need to apply for and obtain coverage under the MPCA's general permit to *Discharge Stormwater Associated with Construction Activity No. MN R100001*? ☒ Yes ☐ No
- Does your program include written procedures for receipt and consideration of reports of noncompliance or other stormwater related information on construction activity submitted by the public to the permittee? ☐ Yes ☒ No
- Have you included written procedures for the following aspects of site inspections to determine compliance with your regulatory mechanism(s):
 - Does your program include procedures for identifying priority sites for inspection? ☒ Yes ☐ No
 - Does your program identify a frequency at which you will conduct construction site inspections? ☐ Yes ☒ No
 - Does your program identify the names of individual(s) or position titles of those responsible for conducting construction site inspections? ☐ Yes ☒ No
 - Does your program include a checklist or other written means to document construction site inspections when determining compliance? ☒ Yes ☐ No
- Does your program document and retain construction project name, location, total acreage to be disturbed, and owner/operator information? ☒ Yes ☐ No
- Does your program document stormwater-related comments and/or supporting information used to determine project approval or denial? ☒ Yes ☐ No
- Does your program retain construction site inspection checklists or other written materials used to document site inspections? ☒ Yes ☐ No

If you answered **no** to any of the above permit requirements, describe the tasks and corresponding schedules that will be taken to assure that, within 12 months of the date permit coverage is extended, these permit requirements are met.

The City will develop written procedures for site reviews. The City will develop written procedures for reports of non compliance of storm water ordinances from the public. The City will develop written procedures for site inspections.

- List the categories of BMPs that address your construction site stormwater runoff control program. Use the first table for categories of BMPs that you have established and the second table for categories of BMPs that you plan to implement over the course of the permit term.

Include the measurable goals with appropriate timeframes that each BMP category will be implemented and completed. In addition, provide interim milestones and the frequency of action in which the permittee will implement and/or maintain the BMPs. Refer to the EPA's *Measurable Goals Guidance for Phase II Small MS4s* (<http://www.epa.gov/npdes/pubs/measurablegoals.pdf>). **If you have more than five categories**, hit the tab key after the last line to generate a new row.

Established BMP categories	Measurable goals and timeframes
Construction Site Runoff Control Regulations	Revise Construction Site Runoff Regulations by 11/1/14
Storm Water Management Plan Review	# of plans reviewed annually
Erosion Control Inspections	# of job site inspections annually
Pre-construction meeting	# of meetings conducted annually
Minimum ESC BMP Standards	# of brochures distributed annually
Construction site waste control	# of enforcement actions annually
BMP categories to be implemented	Measurable goals and timeframes

- Provide the name or the position title of the individual(s) who is responsible for implementing and/or coordinating this MCM:

Jesse Freihammer, Assistant City Engineer

E. MCM 5: Post-construction stormwater management

- The Permit (Part III.D.5.) requires that, within 12 months of the date permit coverage is extended, existing permittees shall revise their current program, as necessary, and continue to implement and enforce a post-construction stormwater management program. Describe your current program:

The City currently has regulations and ordinance in place for storm water management post construction. Site plans are reviewed to make sure the ordinances are met.

- Have you established written procedures for site plan reviews that you will conduct prior to the start of construction activity? ☐ Yes ☒ No
- Answer **yes** or **no** to indicate whether you have the following listed procedures for documentation of post-construction stormwater management according to the specifications of Permit (Part III.D.5.c.):
 - Any supporting documentation that you use to determine compliance with the Permit (Part III.D.5.a), including the project name, location, owner and operator of the construction activity, any checklists used for conducting site plan reviews, and any calculations used to determine compliance? ☐ Yes ☒ No
 - All supporting documentation associated with mitigation projects that you authorize? ☐ Yes ☒ No
 - Payments received and used in accordance with Permit (Part III.D.5.a.(4)(f))? ☐ Yes ☒ No
 - All legal mechanisms drafted in accordance with the Permit (Part III.D.5.a.(5)), including date(s) of the agreement(s) and names of all responsible parties involved? ☐ Yes ☒ No

If you answered **no** to any of the above permit requirements, describe the steps that will be taken to assure that, within 12 months of the date permit coverage is extended, these permit requirements are met.

The City will develop written procedures for site plan review. The City will develop procedures for documentation of post construction sitse management.

- List the categories of BMPs that address your post-construction stormwater management program. Use the first table for categories of BMPs that you have established and the second table for categories of BMPs that you plan to implement over the course of the permit term.

Include the measurable goals with appropriate timeframes that each BMP category will be implemented and completed. In addition, provide interim milestones and the frequency of action in which the permittee will implement and/or maintain the BMPs. Refer to the EPA's *Measurable Goals Guidance for Phase II Small MS4s* (<http://www.epa.gov/npdes/pubs/measurablegoals.pdf>). **If you have more than five categories**, hit the tab key after the last line to generate a new row.

Established BMP categories	Measurable goals and timeframes
Storm Water Management for Permanent Facilities	# of stormwater facilities installed
Zoning Ordinance	Completed, Revise annually as needed
Green Space Requirement	Completed
Wetland Requirements	Completed
Comprehensive Plan	Completed, revise as needed
Mississippi Headwaters Regulations	Completed
Shoreland Management Regulations	Completed
Long-term O&M of BMP's Regulations	Completed, revise as needed
Plan Review Process	Develop written procedures by 11/1/14, # of plans reviewed annually
BMP categories to be implemented	Measurable goals and timeframes

5. Provide the name or the position title of the individual(s) who is responsible for implementing and/or coordinating this MCM:

Jesse Freihammer, Assistant City Engineer

F. MCM 6: Pollution prevention/good housekeeping for municipal operations

1. The Permit (Part III.D.6.) requires that, within 12 months of the date permit coverage is extended, existing permittees shall revise their current program, as necessary, and continue to implement an operations and maintenance program that prevents or reduces the discharge of pollutants from the permittee owned/operated facilities and operations to the small MS4. Describe your current program:

The City currently trains employees on best management practices to prevent discharges at all City facilities. The City sweeps streets once in the fall and once in the spring. The City inspects outfalls/ponds/stockpiles routinely for stormwater discharges so corrections can be made.

2. Do you have a facilities inventory as outlined in the Permit (Part III.D.6.a.)? ☒ Yes ☐ No
3. If you answered **no** to the above permit requirement in question 2, describe the tasks and corresponding schedules that will be taken to assure that, within 12 months of the date permit coverage is extended, this permit requirement is met:

The City will update its training of employees and bmp's at its city facilities

4. List the categories of BMPs that address your pollution prevention/good housekeeping for municipal operations program. Use the first table for categories of BMPs that you have established and the second table for categories of BMPs that you plan to implement over the course of the permit term.

Include the measurable goals with appropriate timeframes that each BMP category will be implemented and completed. In addition, provide interim milestones and the frequency of action in which the permittee will implement and/or maintain the BMPs. For an explanation of measurable goals, refer to the EPA's *Measurable Goals Guidance for Phase II Small MS4s* (<http://www.epa.gov/npdes/pubs/measurablegoals.pdf>).

If you have more than five categories, hit the tab key after the last line to generate a new row.

Established BMP categories	Measurable goals and timeframes
Municipal Operation and Maintenance Programs	# of employees trained annually, # of hours trained annually

Municipal Street Sweeping Program	# of hours swept spring/fall
Street Deicing Program	Amount of salt/sand used annually
MS4 Outfall/Pond Inspections	# of inspections annually
SPCD Inspections	# of inspections annually
Stockpile Inspections	# of inspections annually
Inspection Analysis and Frequency	# of modifications annually, summary of inspection results
Record Keeping and Reporting	Update/implement procedures for record keeping and reporting by 11/1/14
BMP categories to be implemented	Measurable goals and timeframes

5. Does discharge from your MS4 affect a Source Water Protection Area (Permit Part III.D.6.c.)? ☒ Yes ☐ No

a. If **no**, continue to 6.

b. If **yes**, the Minnesota Department of Health (MDH) is in the process of mapping the following items. Maps are available at <http://www.health.state.mn.us/divs/eh/water/swp/maps/index.htm>. Is a map including the following items available for your MS4:

1) Wells and source waters for drinking water supply management areas identified as vulnerable under Minn. R. 4720.5205, 4720.5210, and 4720.5330? ☒ Yes ☐ No

2) Source water protection areas for surface intakes identified in the source water assessments conducted by or for the Minnesota Department of Health under the federal Safe Drinking Water Act, U.S.C. §§ 300j – 13? ☒ Yes ☐ No

c. Have you developed and implemented BMPs to protect any of the above drinking water sources? ☒ Yes ☐ No

6. Have you developed procedures and a schedule for the purpose of determining the TSS and TP treatment effectiveness of all permittee owned/operated ponds constructed and used for the collection and treatment of stormwater, according to the Permit (Part III.D.6.d.)? ☐ Yes ☒ No

7. Do you have inspection procedures that meet the requirements of the Permit (Part III.D.6.e.(1)-(3)) for structural stormwater BMPs, ponds and outfalls, and stockpile, storage and material handling areas? ☐ Yes ☒ No

8. Have you developed and implemented a stormwater management training program commensurate with each employee's job duties that:

a. Addresses the importance of protecting water quality? ☐ Yes ☒ No

b. Covers the requirements of the permit relevant to the duties of the employee? ☐ Yes ☒ No

c. Includes a schedule that establishes initial training for new and/or seasonal employees and recurring training intervals for existing employees to address changes in procedures, practices, techniques, or requirements? ☐ Yes ☒ No

9. Do you keep documentation of inspections, maintenance, and training as required by the Permit (Part III.D.6.h.(1)-(5))? ☒ Yes ☐ No

If you answered **no** to any of the above permit requirements listed in **Questions 5 – 9**, then describe the tasks and corresponding schedules that will be taken to assure that, within 12 months of the date permit coverage is extended, these permit requirements are met:

The City will develop procedures to measure effectiveness of treatment in storm water ponds. The City will develop an employee training program for storm water management in regards to their duties.

10. Provide the name or the position title of the individual(s) who is responsible for implementing and/or coordinating this MCM:

Jesse Freihammer, Assistant City Engineer

VI. Compliance Schedule for an Approved Total Maximum Daily Load (TMDL) with an Applicable Waste Load Allocation (WLA) (Part II.D.6.)

A. Do you have an approved TMDL with a Waste Load Allocation (WLA) prior to the effective date of the Permit? ☐ Yes ☒ No

1. If **no**, continue to section VII.
2. If **yes**, fill out and attach the MS4 Permit TMDL Attachment Spreadsheet with the following naming convention: *MS4NameHere_TMDL*.

This form is found on the MPCA MS4 website: <http://www.pca.state.mn.us/ms4>.

VII. Alum or Ferric Chloride Phosphorus Treatment Systems (Part II.D.7.)

A. Do you own and/or operate any Alum or Ferric Chloride Phosphorus Treatment Systems which are regulated by this Permit (Part III.F.)? ☐ Yes ☒ No

1. If **no**, this section requires no further information.
2. If **yes**, you own and/or operate an Alum or Ferric Chloride Phosphorus Treatment System within your small MS4, then you must submit the Alum or Ferric Chloride Phosphorus Treatment Systems Form supplement to this document, with the following naming convention: *MS4NameHere_TreatmentSystem*.

This form is found on the MPCA MS4 website: <http://www.pca.state.mn.us/ms4>.

VIII. Add any Additional Comments to Describe Your Program